

PT CHART

SOLSTICE[®] zd

(R-1233zd)

PRESSURE-BASED PT CHART R-1233zd

Pressure (psig)	Temperature (°F)
-10	16.4
-5	45.9
0	64.9
5	79.3
10	91.1
15	101.1
20	109.9
25	117.8
30	125.0
35	131.6
40	137.7
45	143.4
50	148.7
55	153.7
60	158.5
65	163.0
70	167.4
75	171.5
80	175.5
85	179.3
90	183.0
95	186.5
100	189.9
105	193.2
110	196.4
115	199.6
120	202.6
125	205.5
130	208.4
135	211.2
140	213.9
145	216.6
150	219.2
155	221.7
160	224.2
165	226.6

PRESSURE-BASED PT CHART R-1233zd

Pressure (psig)	Temperature (°F)
170	229.0
175	231.3
180	233.6
185	235.9
190	238.1
200	242.4
205	244.4
210	246.5
215	248.5
220	250.5
225	252.4
230	254.4
235	256.3
240	258.1
245	260.0
250	261.8
255	263.5
260	265.3
265	267.0
270	268.7
275	270.4
280	272.1
285	273.7
290	275.3
295	276.9
300	278.5
305	280.1
310	281.6
315	283.1
320	284.7
325	286.1
330	287.6
335	289.1
340	290.5
345	291.9
350	293.3



TEMPERATURE-BASED PT CHART R-1233zd	
Temperature (°F)	Pressure (psig)
15	-10.2
19	-9.7
23	-9.1
27	-8.5
31	-7.9
35	-7.2
39	-6.4
43	-5.6
47	-4.8
51	-3.8
55	-2.8
59	-1.7
63	-0.6
67	0.7
71	2
75	3.4
79	4.9
83	6.5
87	8.2
91	10
95	11.9
99	13.9
103	16
107	18.3
111	20.6
115	23.1
119	25.8
123	28.6
127	31.5
131	34.5
135	37.8
139	41.1
143	44.7
147	48.4
151	52.2
155	56.3
159	60.5
163	65
167	69.6

TEMPERATURE-BASED PT CHART R-1233zd	
Temperature (°F)	Pressure (psig)
171	74.4
175	79.4
179	84.6
183	90.1
187	95.7
191	101.6
195	107.7
199	114.1
203	120.7
207	127.5
211	134.7
215	142
219	149.7
223	157.6
227	165.8
231	174.3
235	183
239	192.1
243	201.5
247	211.3
251	221.3
255	231.7
259	242.4
263	253.5
267	264.9
271	276.7
275	288.9
279	301.5
283	314.5
287	327.9
291	341.8
295	356.1
299	370.8

For more information:

Call 800-631-8138 (U.S. and Canada)
or visit: Honeywell-refrigerants.com

Honeywell Fluorine Products

115 Tabor Road
Morris Plains, NJ 07950



Although Honeywell International Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of Honeywell International Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

Solstice is a registered trademarks of Honeywell International Inc.