

Honeywell Solstice[®] Gas Blowing Agent



**High performance, LGWP blowing agent
for extruded polystyrene (XPS) insulation
and more**

Honeywell

Honeywell Solstice® Gas Blowing Agent

- High insulation performance
- Low GWP of <1
- Non-flammable and safe to use
- Low rate of diffusion and longer insulation life
- Low transition costs to convert from HFC and non-fluorocarbon blowing agents

Honeywell Solstice® Gas Blowing Agent (GBA) has been developed for extruded polystyrene, and pressurized one- and two-component PUR foams. It is a replacement for HFC-134a and other fluorocarbon and non-fluorocarbon blowing agents. Solstice GBA is non-flammable having a boiling point of -3°F. It has an ultra low GWP of <1, a low MIR, low POCP and low contribution to ground level smog formation.

Solstice GBA allows extrusion of thick, dimensionally stable foam. XPS boards produced using Solstice GBA have achieved lambda values as low as 27mW/m-K as per EN 13164 Annex C.

Solstice GBA is a near drop-in replacement for many extrusion processes currently using CO₂, HFC-134a and HFC-152a blowing agents.

Blowing Agent Comparison

	HFC 152a	CO ₂	HFC 134a	Solstice Gas Blowing Agent
Performance	Energy Efficiency	Yellow	Red	Green
	Ability to extrude thick panels	Yellow	Red	Green
Cost effective	Adoption Cost/Ease	Yellow	Red	Green
	Lower Cost/Unit	Yellow	Green	Yellow
Environment	Global Warming Impact (direct and indirect)	Yellow	Green	Red
	Volatile Organics	Green	Green	Green
Safety	Flammability	Red	Green	Green

Physical properties

Molecular Weight	114
Boiling Point	-3°F (-19°C)
Vapor Thermal Conductivity	13.0 mW/m-K
Global Warming Potential (GWP)	<1
Non-Flammable	ASTM E-681 and EU A11
Lambda	27 mW/m-K [‡]

[‡]Per EN 13164 Annex C

About Honeywell

Honeywell Specialty Materials is a global leader in providing customers with high-performance specialty materials, including fluorine products; specialty films and additives; advanced fibers and composites; intermediates; specialty chemicals; electronic materials and chemicals; and technologies and materials for petroleum refining.

Honeywell International is a global diversified technology and manufacturing leader, serving customers worldwide with aerospace products and services; control technologies for buildings, homes and industry; automotive products; turbochargers; and specialty materials.



Although Honeywell International Inc. believes that the suggestions regarding the possible uses of the products as well as the other statements contained in this publication are accurate and reliable, they are presented without guarantee or responsibility of any kind and are not representations or warranties of Honeywell International Inc., either expressed or implied. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments and the user assumes all risks and liability (including, but not limited to, risks relating to results, patent infringement and health, safety and the environment) for the results obtained by the use of the products and the suggestions contained herein.

March 2014 - Version 5 Printed in U.S.A.
©2014 Honeywell International Inc. All rights reserved

Honeywell

101 Columbia Road
Morristown, NJ 07962-1053
1-800-631-8138

www.honeywell-blowingagents.com